Certified Laboratories
A Certified Group Company

Certificate of Analysis (COA)

Report Number: 26-242755
Report Date : 05/19/2026

1169 Warner Ave, Tustin, CA, 92780 Phone:714-259-0384

Customer* : Toniiq LLC
Contact* : Toniiq QA
2045 W Grand Ave STE B #70517

Chicago, IL, 60612
Phone* : 773-596-6613

Samples Received : 05/01/2026
Start of Testing : 05/01/2026
PO Number : FG-P04579

Sample Name : 5-HTP

Item # :
Lot # : T-5H042126 Exp: 04/2028
Lab # : 001

Test Code	Analysis - Method	Result	Spec
WEI02	Average Fill Weight (based on 10)	**412.57mg/ capsule**	
LHT01	L-5-hydroxytryptophan HPLC SOP 3.1.76	**234.53 mg/Capsule**	NLT 200 mg/Capsule
WEI06	Average Unit Weight (based on 10) SOP 2.5.7	**513.26mg/ capsule**	
HMS35	Heavy Metal Screen 4 - ICPMS: As, Cd, Hg, Pb	**Complete**	
NC	Arsenic (As) ICP-MS	**not detected, <0.001 ppm**	NMT 10 mcg/capsule
NC	Cadmium (Cd) ICP-MS	**not detected, <0.001 ppm**	NMT 4.1 mcg/capsule
NC	Lead (Pb) ICP-MS	**0.01 mcg/capsule**	NMT 0.5 mcg/capsule
NC	Mercury (Hg) ICP-MS	**not detected, <0.001 ppm**	NMT 0.3 mcg/capsule

Customer :	Toniiq LLC	Report Number :	26-242755	Report Date :	05/19/2026

Billing Code	Analysis - Method	Result	Spec

Sample Temperature Upon Receipt : 25.0 deg C

Remarks :

Certified Group - Tustin is accredited to the ISO/IEC 17025:2017 standard and specializes in the testing of botanical ingredients, dietary supplements, and foods. Certified Group - Tustin is not an FDA drug registered facility, therefore any data or results provided by Certified Group - Tustin are not intended to fulfill any requirements under the drug cGMPs dictated in 21 CFR Parts 210 and 211.

All results contained in the above report relate only to the items tested. All samples received in satisfactory condition unless noted otherwise. *The indicated information has been provided by the client to Certified Group - Tustin.

For Questions or Comments Contact :
Customer Experience Team
714-259-0384 or
customerexperience_tustin@certifiedgroup.com

Approved By : Grace.Llewellyn, Laboratory Directory

Signature :

CERTIFICATE OF ANALYSIS

4795 Enterprise Ave
Naples, FL 34104
239-227-4735
DaaneLabs.com

Client: Toniiq LLC
2045 W. Grand Ave Ste B, PMB 70517
Chicago , IL 60612

Order Number: DLSG260430-058
Date Received: 04/30/2026
Report Date: 05/04/2026
PO Number: FG-MICRO-P04579

Comments:

Sample Name: 5-HTP
Lot Number: T-5H042126
Sample Number: 26DL47273
Comments:

Arrival Temp (C): 24.2
Storage Location: Ambient
Condition: Acceptable

Test	Result	Unit	Reference Method
Total Plate Count	100	cfu/g	AOAC 990.12
Total Yeast & Mold Count	<100	cfu/g	AOAC 2014.05
Escherichia coli	Negative	10 g	AOAC-RI 050601
Salmonella spp.	Negative	10 g	AOAC 020502
Staphylococcus aureus	Negative	10 g	AOAC-RI 100503

Prepared By: _____ Approved By: _____

Reports apply only to the sample(s) investigated and is not necessarily indicative of the quality or condition of apparently identical or similar samples, regardless of source or specified lot. All data and report(s) derived from Service(s) is for the exclusive use of the Customer who requested the report and paid for Service(s), and not for public dissemination or use by any other third parties, including for promotional purposes, without the prior written permission of DAL. Measurement Uncertainty (AOAC): Total Plate Count: +/-1.01, Total Rapid Plate Count: +/-1.02, Total Yeast & Mold: +/-1.02, Total Coliform 1.02, Total Enterobacteria +/-1.02 (USP): Total Plate Count: +/-1.11, Total Yeast & Mold: +/-1.17. All measurement uncertainties are displayed as CFU/g (ml). The laboratory is not responsible for sampling. Customer provided information includes: Sample Name(s) and Lot Number(s).